

Neotropical Diptera

Neotropical Diptera 10: 1-5 (April 15, 2009)
ISSN 1982-7121
www.neotropicaldiptera.org

Depto. de Biologia - FFCLRP
Universidade de São Paulo
Ribeirão Preto, SP, Brazil

Catalogue of Neotropical Diptera. Apioceridae¹

Nelson Papavero

Museu de Zoologia, Universidade de São Paulo, São Paulo, SP, Brasil
Pesquisador Visitante do Departamento de Biologia, Faculdade de Filosofia, Ciências e Letras, Universidade de São Paulo, Ribeirão Preto, SP, Brasil

Two subgenera of *Apiocera* Westwood, 1835 occur in the region covered by this catalogue: *Anypenus* Philippi, 1865, restricted to Chile (with 4 species) and *Pyrocerata* Yeates & Irwin, 1996, Nearctic, penetrating into Mexico (with 14 species).

Acronyms and abbreviations used in the text are the following:

AMNH – American Museum of Natural History, New York, New York, U. S. A.
BMNH – National Museum of Natural History, London, England
CAS – California Academy of Sciences, San Francisco, California, U. S. A.
DZUC – Departamento de Zoologia, Universidad de Concepción, Concepción, Chile
HT – holotype
LT – lectotype
MNHNS – Museo Nacional de Historia Natural, Santiago, Chile
NT – neotype
UK – University of Kansas, Lawrence, Kansas, U. S. A.
USNM – National Museum of Natural History, Washington, D. C., U. S. A.,

Family Apioceridae Bigot, 1857

Pomaceritae Macquart, 1847: 47. Type-genus, *Pomacera* Macquart, 1847 = *Apiocera* Westwood, 1835.
Apomeridi Bigot, 1852: 481. Type-genus, *Apomera* Bigot, 1852 = *Apiocera* Westwood, 1835.
Apioceridae Bigot, 1857: 536. Type-genus, *Apiocera* Westwood, 1835.
Apomeridae Pandellé, 1894: 4.
Apioceratidae Brues & Melander, 1953: 451.
Pomaceridae Paramonov, 1953: 451. [Sabrosky, 1999: 253: “Pomaceridae is older than Apioceridae, but *Pomacera* was synonymized under *Apiocera* and the family name changed at least by 1883, and Apioceridae can be maintained (Code, Art. 40b)”].

¹ This project was supported by FAPESP grants # 2003/10.274-9 and 2007/50878-1.

Genus **Apiocera** Westwood, 1835

Apiocera Westwood, 1835: 448. Type-species, *Apiocera fuscicollis* Westwood, 1835 (subs. des., Coquillett, 1910: 508) = *Apiocera brevicornis* (Wiedemann, 1830).

Tapinocera Macquart, 1838: 78 (1839: 194), pl. 6, fig. 5 (head of type-specimen). Type-species, *Laphria brevicornis* Wiedemann, 1830 (orig. des.).

Pomacera Macquart, 1847: 63 (1847: 47), pl. 2, fig. 1 (male, habitus), 1a (head), 1b-c (antenna), 1d (palpus). Type-species, *Pomacera bigotii* Macquart, 1847 (orig. des.) = *Apiocera brevicornis* (Wiedemann, 1830).

Apomera Bigot, 1852: 481 (apparently a lapsus; there is no evidence of emendation. Cf. Sabrosky, 1999: 50).

Ref. - Artigas, 1970: 102 (key to spp.).

Subgenus **Anypenus** Philippi, 1865

Anypenus Philippi, 1865: 702 (as genus). Type-species, *Anypenus brevicornis* Philippi, 1865 (sub. des., Brèthes, 1924: 28) = *Apiocera philippii* (Brèthes, 1924).

Ref. - Artigas, 1970: 102 (key to spp.).

aurelia Artigas, 1970: 102, figs. 16 (abdomen), 26, 28, 30 (male terminalia), 38 (distr.). Type-locality: Chile, Coquimbo, La Serena, Lomas de Peñuelas. Distr. - Chile (Coquimbo). Ref. - Bernardi, 1975: 2 (cat.). HT male, DZUC.

monticola Artigas, 1970: 104, figs. 19 (abdomen), 27, 29, 31 (male terminalia), 38 (distr.). Type-locality: Chile, Santiago, El Melocotón, rio Maipo, orilla del rio, 1024 m. Distr. - Chile (Santiago). Ref. - Bernardi, 1975: 2 (cat.). HT male, DZUC.

obscura (Philippi), 1865: 703 (*Anypenus*). Type-locality: unknown [“Chile”]. Distr. - Chile (Concepción, O’Higgins, Talca). Refs. - Kertész, 1909: 48 (cat.); Painter, 1932: 350; Cazier, 1941: 592; Rapp & Snow, 1945: 159 (cat.); Stuardo Ortiz, 1946: 87 (cat.); Artigas, 1970: 105, figs. 11 (spermatheca), 17 (abdomen), 20-25 (male terminalia), 38 (distr.); Bernardi, 1975: 2 (cat.). LT male, MNHNS [des. by Artigas, 1970: 106].

philippii (Brèthes), 1924: 28 (*Anypenus*; nom. nov. for *brevicornis* Philippi, 1865). Type-locality: Chile, Santiago Prov. Neotype-locality: Chile, Santiago, Lampa. Distr. - Chile (Coquimbo, Linares, Ñuble, O’Higgins, Santiago, Valparaíso). Refs. - Painter, 1932: 350; Rapp Jr. & Snow, 1945: 159 (cat.); Stuardo Ortiz, 1946: 87 (cat.); Artigas, 1970: 107, figs. 1-3 (male terminalia), 4 (thorax), 5 (spermatheca), 6 (wing), 7-8 (male terminalia), 12, 15 (head), 18 (abdomen), 38 (distr.); Bernardi, 1975: 2 (cat.). Yeates & Irwin, 1996: 272, fig. 33 (dorsal view of hypandrium), 273, figs. 38-39 (male genitalia). NT male, DZUC [des. by Artigas, 1970: 108].

brevicornis Philippi, 1865: 702, pl. 25, figs. 26 (male), 26a (head) (*Anypenus*; preocc. Wiedemann, 1830). Type-locality: Chile, Santiago Prov. Refs. - Macquart, 1838: 79, pl. 6, fig. 5 (*Tapinocera*); Walker, 1855: 573 (*Tapinocera*); Schiner, 1866: 694 (*Tapinocera*); Osten Sacken, 1883: 294, 1891: 421; Kertész, 1909: 48 (cat.); Cazier, 1941: 592. TP lost.

Subgenus **Pyrocera** Yeates & Irwin, 1996

Apiocera, subg. **Pyrocera** Yeates & Irwin, 1996: 286, figs. 2, 4, 14, 20, 23, 28-31. Type-species, *Apiocera haruspex* Osten Sacken, 1877 (orig. des.).

Ref. - Cazier, 1982 (rev.).

aldrichi Painter, 1938: 193, pl. 8 (male terminalia). Type-locality: U. S. A., Arizona, Yuma Co., Yuma. Distr. - U. S. A. (California, Arizona), Mexico (Sonora). Ref. - Cazier, 1941: 601, 602 (in key), 605, pl. 3, fig. 1 (male), 1965: 356 (cat.), 1982: 400, figs. 6-7, 16, 36, 87, map 9. HT male, USNM.

arnaudi Cazier, 1982: 403, map 9. Type-locality: Mexico, Baja California Norte, Sierra San Pedro Mártir, 2 miles east of Socorro, 5000 ft. Distr. - Mexico (Baja California Norte). HT male, CAS.

augur Osten Sacken, 1887: 212. Type-locality: “Mexico, Presidio (Forrer)” = Mexico, Sinaloa, Mazatlán (cf. Selander & Vaurie, 1962: 47). Distr. - U. S. A. (New Mexico, Texas), Mexico (Chihuahua, Sinaloa). Refs. - Aldrich, 1905: 153 (cat.); Kertész, 1909: 48 (cat.); Painter, 1932: 354, figs. 1 (male), 2 (female); 1938: 192, pl. 8 (male terminalia); Cazier, 1941: 602 (in key), 615, pl. 3, fig. 5 (male), pl. 4, fig. 12 (male terminalia); Rapp Jr. & Snow, 1945: 157 (cat.); Cazier,

- 1963: 229, 1965: 356 (cat.); Bernardi, 1975: 2 (cat.); Lavigne, 1975: 673 (redescri., behavior); Cazier, 1982: 389, figs. 46, 63, map 8. HT male, BMNH.
- auger** Painter, 1938: 192, error.
- bibula** Cazier, 1982: 334, figs. 75, 99, map 10. Type-locality: Mexico, Baja California Sur, San Juan. Distr. – Mexico (Baja California Sur). HT male, AMNH.
- bigelowi** Cazier, 1982: 384, figs. 15, 65, 83, map 7. Type-locality: Mexico, Coahuila, 1 mile southwest of Cuatro Ciénegas, Cuatro Ciénegas basin. Distr. – Mexico (Coahuila). HT male, AMNH.
- bilineata** Painter, 1932: 351, figs. 3 (male), 4 (female). Type-locality: U. S. A., New Mexico, Otero Co., White Sands. Distr. – U. S. A. (Arizona, New Mexico, Texas), Mexico (Chihuahua). Refs. – Painter, 1938: 191, pl. 8 (male terminalia); Cazier, 1941: 602 (in key), 613, pl. 4, fig. 13 (male terminalia); Rapp Jr. & Snow, 1945: 157 (cat.); Cazier, 1963: 228, 1965: 357 (cat.); Bernardi, 1975: 2 (cat.). TP male UK.
- caboae** Cazier, 1982: 409, fig. 96, map 10. Type-locality: Mexico, Baja California Sur, San José del Cabo. Distr. – Mexico (Baja California Sur). HT male, CAS.
- chrysolasia** Cazier, 1982: 324, fig. 79, map 1. Type-locality: U. S. A., California, Riverside Co., Temecula. Distr. – U. S. A. (California), Mexico (Baja California Norte). HT male, CAS.
- clavator** Painter, 1938: 196, pl. 8 (male terminalia). Type-locality: Mexico, Colima. Distr. – Mexico (Colima-Jalisco border). Refs. – Cazier, 1941: 601 (in key), 609, pl. 4, fig. 9 (male terminalia); Rapp Jr. & Snow, 1945: 158 (cat.); Lavigne, 1975: 673; Cazier, 1982: 399, figs. 17, 37, map 8. HT male, USNM.
- davidsonorum** Cazier, 1982: 442, figs. 92, 100, map 7. Type-locality: Mexico, Baja California Sur, San Juan. Distr. – Mexico (Baja California Sur). HT male, AMNH.
- femoralis** Cazier, 1982: 387, figs. 84, 104, map 7. Type-locality: U. S. A., Texas, Brewster Co., Big Bend National Park, Rio Grande Village. Distr. – U. S. A. (Texas), Mexico (Chihuahua). HT male, AMNH.
- fisheri** Cazier, 1982: 390, fig. 47, map 1. Type-locality: Mexico, Baja California Norte, Santa María, 24 miles south of San Felipe. Distr. – Mexico (Baja California Norte). HT male, CAS.
- horticolis** Cazier, 1982: 322, figs. 56, 78, map 6. Type-locality: Mexico, Baja California Norte, Santa Ana. Distr. – Mexico (Naja California Norte, Baja California Sur). HT male, AMNH.
- linsleyi** Cazier, 1982: 395, figs. 26, 48, 85, 106, map 10. Type-locality: Mexico, Baja California Sur, La Paz. Distr. – Mexico (Baja California Sur). HT male, AMNH.
- ssp. **obliqua** Cazier, 1982: 398, fig. 107, map 10. Type-locality: Mexico, Baja California Sur, Santa Rita. Distr. – Mexico (Baja California Sur). HT male, AMNH.
- mexicana** Cazier, 1954: 8. Type-locality: Mexico, Veracruz, Veracruz. Distr. – U. S. A. (Texas), Mexico (Guerrero, Veracruz). Refs. – Cazier, 1963: 226, 1965: 357 (cat.); Bernardi, 1975: 2 (cat.); Cazier, 1982: 367, figs. 28, 115, map 8. HT male, AMNH.
- minckleyi** Cazier, 1982: 382, fig. 80, map 7. Type-locality: Mexico, Coahuila, 5.6 miles southwest of Cuatro Ciénegas, Cuatro Ciénegas basin. Distr. – Mexico (Coahuila). HT male, AMNH.
- notata** Painter, 1938: 199, text-fig. 1 (male terminalia), pl. 8 (male terminalia). Type-locality: U. S. A., California, San Diego Co., Campo. Distr. – U. S. A. (California), Mexico (Baja California). Refs. – Cazier, 1941: 602 (in key), 614, pl. 4, fig. 11 (male terminalia); Rapp Jr. & Snow, 1945: 159 (cat.); Cazier, 1963: 233, 1965: 357 (cat.); Bernardi, 1975: 2 (cat.). TP male UK.
- painteri** Cazier, 1963: 206, figs. 1-6 (male and female, habitat, eggs, first instar larva; bionomics). Type-locality: U. S. A., Arizona, Cochise Co., 2 miles northeast of Portal. Distr. – U. S. A. (Arizona), Mexico (Sonora). HT male, USNM.
- powelli** Cazier, 1982: 407, figs. 20, 88, map 13. Type-locality: Mexico, Baja California Norte, Sierra San Pedro Martir, 2 miles west of Socorro, 3000 ft. Distr. – Mexico (Baja California Norte). HT male, CAS.
- rockefelleri** Cazier, 1982: 428, fig. 105, map 7. Type-locality: Mexico, Chihuahua, Samalayuca. Distr. – Mexico (Chihuahua). HT male, AMNH.
- ruberifasciata** Cazier, 1982: 364, figs. 30, 69, map 6. Type-locality: Mexico, Baja California Norte, Santa María, 24 miles south of Bahía San Felipe. Distr. – Mexico (Baja California Norte). HT male, CAS.
- sonorae** Cazier, 1954: 7. Type-locality: Mexico, Sonora, 20 miles southwest of Sonoyta. Distr. – U. S. A. (California), Mexico (Sonora). Refs. – Cazier, 1963: 209; Bernardi, 1975: 2 (cat.); Cazier, 1982: 363, figs. 34, 40, 68, map 3. HT male, AMNH.
- spectabilis** Cazier, 1982: 430, figs. 10-14, 39, 66, map 10. Type-locality: Mexico, Baja California Norte, Las Arrastras. Distr. – U. S. A. (California), Mexico (Baja California Norte). HT male, AMNH.
- volucra** Cazier, 1982: 336, figs. 76, 100, map 3. Type-locality: Mexico, Baja California Norte, Las Arrastras. Distr. – Mexico (Baja California Norte). HT male, AMNH.

References

- Aldrich, J. M., 1905. A catalogue of North American Diptera. *Smithson. Misc. Collns* 46 [2 (= publ. 1444)]: 1-680.
- Artigas, J. N., 1970. Los apioceratidos de Chile con la descripción de cinco nuevas especies (Diptera – Apioceratidae). *Boln Soc. Biol. Concepción* 42: 97-122, 38 figs.
- Bernardi, N., 1975. Family Apioceridae (Apioceratidae), in Papavero, N., ed., *A Catalogue of the Diptera of the Americas south of the United States* 33: 1-6. Museu de Zoologia, Universidade de São Paulo, São Paulo.
- Bigot, J. M. F., 1852. Essai d'une classification générale et synoptique de l'ordre des insectes diptères. *Ann. Soc. ent. France* (2) 10: 471-489.
- Bigot, J. M. F., 1857. Diptères nouveaux provenant du Chili. *Ann. Soc. ent. France* (3) 5: 277-308.
- Brèthes, J., 1924. Sur quelques diptères chiliens. *Revta chilena Hist. nat.*, Santiago 28: 104-111.
- Brues, C. T. & A. L. Melander, 1932. Classification of insects. *Bull. Mus. comp. Zool. Harvard Univ.* 73: 1-672.
- Cazier, M. A., 1941. A generic review of the family Apioceratidae, with a revision of the North American species (Diptera – Brachycera). *Am. Midland Naturalist* 23: 589-631, 2 figs., 4 pls.
- Cazier, M. A., 1954. New species and notes on flies belonging to the genera *Rhaphiomydas* and *Apiocera* (Diptera - Apioceratidae). *American Mus. Novitates* 1696: 1-10.
- Cazier, M. A., 1963. The description and bionomics of a new species of *Apiocera*, with notes on other species (Diptera: Apioceridae). *Wasman J. Biol.* 21: 205-234, 6 figs.
- Cazier, 1965. Family Apioceridae, pp. 356-357, in Stone, A., C. W. Sabrosky, W. W. Wirth, R. H. Foote & J. R. Coulson, eds., A catalog of the Diptera of America north of Mexico. [U. S. Dept. Agric., Agric. Res. Serv.] *Agric. Handbook* 176: 1-1696. Washington, D. C.
- Cazier, M. A., 1982. A revision of the North American flies belonging to the genus *Apiocera* (Diptera: Apioceridae). *Bull. American Mus. nat. Hist.*, New York 171: 181-263.
- Cazier, M. A., 1985. New species and notes on flies belonging to the genus *Apiocera* (Diptera, Apioceridae). *American Mus. Novitates*, New York 2837: 1-28.
- Coquillett, D. W., 1910. The type-species of the North American genera of Diptera. *Proc. U. S. natn Mus.* 37: 499-647.
- English, K. M. I., 1947. Notes on the morphology and biology of *Apiocera maritima* Hardy (Diptera, Apioceridae). *Proc. Linn. Soc. N. S. Wales* 71: 296-302, 13 figs.
- Kertész, K., 1909. *Catalogus dipterorum hucusque descriptorum* 4. Lepizig & Budapest.
- Lavigne, R. J., 1975. Redescription of *Apiocera clavator* with notes on its behavior (Diptera: Apioceridae). *Bull. ent. Soc. America* 68 (4): 673-676.
- Macquart, J., 1838. *Diptères exotiques nouveaux ou peu connus* 1 (2): 5-207, 14 pls. Paris. [Also publ. in *Mém. Soc. r. Sci. Agric. Arts Lille* 1838 (3): 121-323, 14 pls. 1839].
- Macquart, J., 1847. Diptères exotiques nouveaux ou peu connus. 2e. supplément. *Mém. Soc. r. Sci. Agric. Arts Lille* 1846: 21-120, 6 pls. [Also publ. sep. as *Supplément II*, pp. 5-104, 6 pls., Paris, ?1847].
- Osten Sacken, C. R., 1877. Western Diptera: Descriptions of new genera and species of Diptera from the region west of the Mississippi and especially from California. *Bull. U. S. geol. geogr. Surv. Terr.* 3: 189-354.
- Osten Sacken, C. R., 1883. On the genus *Apiocera* and comments on relation to Asilidae. *Berlin. ent. Ztschr.* 27: 287-294.
- Osten Sacken, C. R., 1886. Diptera, Vol. 1 (part), pp. 1-24, 25-48, 49-72, 73-104, 105-128, pls. 1-2 (cont.), in Godman, F. D. & O. Salvin, eds., *Biologia centrali-americana. Zoologia-Insecta-Diptera* 1: 378 pp., 6 pls. London.
- Osten Sacken, C. R., 1887. Diptera. Vol. 1 [part, concl.], pp. 129-160, 161-176, 177-208, 209-216, pl. 3, in Godman, F. D. & O. Salvin, eds., *Biologia centrali-americana. Zoologia-Insecta-Diptera* 1: 378 pp., 6 pls. London.
- Painter, R. H., 1932. A review of the genus *Apiocera* Westwood from North America (Apioceridae, Diptera). *Ann. ent. Soc. America* 25: 350-356, 1 pl.
- Painter, R. H., 1938. The family Apioceratidae (Diptera) in North America. *Univ. Kansas Sci. Bull.* 24: 187-203.
- Pandellé, L., 1894. Étude sur les muscides de France. IIe Partie. *Revue Ent.* 13: 1-52, 53-84, 85-113.
- Paramonov, S. J., 1953. A review of the Australian Apioceridae (Diptera). *Australian J. Zool.* 1: 449-537.
- Philippi, R. A., 1865. Aufzählung der chilenischen Diptera. *Verh. zool.-bot. Ges. Wien* 15: 595-782, pls. 23-29.
- Rapp, W. F., Jr. & W. E. Snow, 1945. Catalogue of Apioceridae of the world. *Pan-pacific Entomologist* 21 (4): 157-160.
- Sabrosky, C. W., 1999. Family-group names in Diptera. An annotated catalog. Bibliography by F. Christian Thomson, Neal L. Evenhuis & Curtis W. Sabrosky. *Myia* 10: 1-576. [North American Dipterists' Society & Backhuys Publishers, Leiden].
- Schiner, I. R., 1866. Die Wiedemann'sche Asiliden, interpretiert und in die seither errichteten neuen Gattungen eingereiht. *Verh. zool.-bot. Ges. Wien* 16 (Abhandl.): 649-722, pl. 12, pp. 845-848 (Nachtrag).
- Selander, R. B. & P. Vaurie, 1962. A gazetteer to accompany the "Insecta" volumes of the "Biologia Centrali-Americanica". *American Mus. Novitates* 2099: 1-70, 8 fig.
- Stuardo Ortiz, C., 1946. *Catálogo de los dípteros de Chile*, 250 pp. Ministerio de Agricultura, Santiago.
- Walker, F., 1855. *List of the specimens of dipterous insects in the collection of the British Museum* 6 (Suppl. II): 331-506. British Museum, London.
- Westwood, J. O., 1935. Insectorum novorum exoticorum (ex ordine dipterorum) descriptiones. *London & Edinburgh phil. Mag. J. Sci.* (3) 6: 447-449.
- Yeates, D. K. & M. E. Irwin, 1996. Apioceridae (Insecta: Diptera): Cladistic reappraisal and biogeography. *Zool. J. Linnean Soc.* 116: 247-301.

Index (Synonyms in *italics*)

- aldrichi Painter, 1936, *Apiocera (Pyrocera)* – 2
Anypenus Philippi, 1865 – 2
Apiocera Westwood, 1835 – 2
Apioceratidae Brues & Melander, 1953 – 1
Apioceridae Bigot, 1857 – 1
Apomera Bigot, 1852 – 2
Apomeridae Pandellé, 1894 – 1
Apomeridi Bigot, 1852 – 1
arnaudi Cazier, 1982, *Apiocera (Pyrocera)* – 2
auger Painter, 1938, *Apiocera (Pyrocera)*, error – 3
augur Osten Sacken, 1887, *Apiocera (Pyrocera)* – 2
aurelia Artigas, 1970, *Apiocera (Anypenus)* – 2

bibula Cazier, 1982, *Apiocera (Pyrocera)* – 3
bigelowi Cazier, 1982, *Apiocera (Pyrocera)* – 3
bilineata Painter, 1932, *Apiocera (Pyrocera)* – 3
brevicornis (Philippi), 1865 (Anypenus), *Apiocera (Anypenus)* – 2

caboae Cazier, 1982, *Apiocera (Pyrocera)* – 3
chrysolasia Cazier, 1982, *Apiocera (Pyrocera)* – 3
clavator Painter, 1935, *Apiocera (Pyrocera)* – 3

davidsonorum Cazier, 1982, *Apiocera (Pyrocera)* – 3

femoralis Cazier, 1982, *Apiocera (Pyrocera)* – 3
fisheri Cazier, 1982, *Apiocera (Pyrocera)* – 3

horticolis Cazier, 1982, *Apiocera (Pyrocera)* – 3
- linsleyi* Cazier, 1982, *Apiocera (Pyrocera)* – 3
mexicana Cazier, 1954, *Apiocera (Pyrocera)* – 3
minckleyi Cazier, 1982, *Apiocera (Pyrocera)* – 3
monticola Artigas, 1970, *Apiocera (Anypenus)* – 2

notata Painter, 1938, *Apiocera (Pyrocera)* – 3

obliqua Cazier, 1982, *Apiocera (Pyrocera)* – 3
obscura (Philippi), 1865 (Anypenus), *Apiocera (Anypenus)* – 2

painteri Cazier, 1963, *Apiocera (Pyrocera)* – 3
philippii (Brèthes), 1924 (Anypenus), *Apiocera (Anypenus)* – 2
Pomacera Macquart, 1847 – 2
Pomaceridae Paramonov, 1953 – 1
Pomaceritae Macquart, 1847 – 1
powelli Cazier, 1982, *Apiocera (Pyrocera)* – 3
Pyrocera Yeates & Irwin, 1996 – 2

rockefelleri Cazier, 1982, *Apiocera (Pyrocera)* – 3
rubrifasciata Cazier, 1982, *Apiocera (Pyrocera)* – 3

sonorae Cazier, 1954, *Apiocera (Pyrocera)* – 3
spectabilis Cazier, 1982, *Apiocera (Pyrocera)* – 3

Tapinocera Macquart, 1838 – 2

volucra Cazier, 1982, *Apiocera (Pyrocera)* – 3

Catalogue Neotropical Diptera. Apioceridae